



# Primera Millennium Ultra<sup>TM</sup> 2

## SELECTIVE HERBICIDE

FOR SELECTIVE BROADLEAF WEED CONTROL IN ORNAMENTAL LAWNS AND TURF GRASSES.

**CONTROLS: DANDELION, CHICKWEED, BLACK MEDIC, KNOTWEED, PLANTAIN, OXALIS, CLOVER, COCKLEBUR, THISTLE AND MANY OTHER SPECIES OF BROADLEAF WEEDS; SOME OF WHICH ARE LISTED ON THIS LABEL.**

**Contains 2,4-D, Clopyralid and Dicamba**

**ACTIVE INGREDIENTS:**

Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid*	37.32%
Monoethanolamine Salt of 3,6-Dichloro-2-Pyridinecarboxylic Acid**	2.54%
Dimethylamine Salt of Dicamba (3,6-Dichloro-o-Anisic Acid)***	4.65%

**OTHER INGREDIENTS:** ..... 55.49%

**TOTAL:** ..... 100.00%

Isomer Specific Method, Equivalent to:

* 2,4-Dichlorophenoxyacetic Acid	31.00%, 3.000 lbs./gal.
** 3,6-Dichloro-2-Pyridinecarboxylic Acid	1.93%, 0.183 lbs./gal.
*** 3,6-Dichloro-o-Anisic Acid	3.86%, 0.375 lbs./gal.

**EPA REG. NO. 228-322**

**EPA EST. NO. 228-IL-1**

**FOR USE BY PROFESSIONAL TURF MAINTENANCE PERSONNEL, LANDSCAPING OR COMMERCIAL APPLICATORS ONLY. NOT FOR SALE TO OR USE BY HOMEOWNERS.**

<sup>1</sup>Not for sale or use in Nassau and Suffolk Counties in N.Y. State. In California and Washington, turfgrass and lawn uses are restricted to golf courses only. In Oregon, the use of this product is limited to the sites stated on this label which are agricultural<sup>2</sup>, forest<sup>3</sup>, right-of-way, golf course or cemetery sites.

\*This product cannot be used on agricultural or forest sites.

## KEEP OUT OF REACH OF CHILDREN

# DANGER - PELIGRO

**Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.**

**(If you do not understand the label, find someone to explain it to you in detail.)**

**SEE INSIDE BOOKLET FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS**

**For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300**

**For Medical Emergencies Only, Call (877) 325-1840**

**MANUFACTURED BY:  
NUFARM AMERICAS INC  
BURR RIDGE, IL 60527-0866**

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
DANGER - PELIGRO**

Corrosive. This concentrate causes irreversible eye damage. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Wear face shield, goggles, or safety glasses and long pants, long-sleeved shirt, socks, shoes, and rubber gloves when mixing, loading, or applying this product. It is recommended that safety glasses include front, brow, and temple protection. In addition to the clothing and eye protection listed above, commercial mixer/loaders must wear chemical-resistant in place of rubber gloves except when the product is to be applied to a golf course. After using this product, rinse gloves before removing, remove clothing and laundry separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower. The maximum number of broadcast applications per treatment site is 2 per year. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried.

If this container is over one gallon and less than five gallons, then persons engaged in open pouring of this product must also wear coveralls or a chemical-resistant apron. If this container is five gallons or more in capacity, do not open pour product from this container. A mechanical system (such as a probe and pump or spigot) must be used for transferring the contents of this container. If the contents of a non-refillable pesticide container are emptied, the probe must be rinsed before removal.

<b>FIRST AID</b>	
<b>IF IN EYES</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>IF SWALLOWED</b>	<ul style="list-style-type: none"> <li>• Call poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
<b>IF ON SKIN OR CLOTHING</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15 to 20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>HOT LINE NUMBER</b>	
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information.</p>	

**ENVIRONMENTAL HAZARDS**

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. When cleaning equipment, do not pour washwater on the ground; spray or drain over a large area away from wells and other water sources. Do not contaminate water when disposing of equipment washwaters. Do not apply this product through any type of irrigation system. Do not contaminate water used for irrigation or domestic purposes.

Clopyralid, an active ingredient in this product, may leach through soil into groundwater under certain conditions of use. Use of this product where soils are permeable, particularly where the water table is shallow, may result in leaching to groundwater. Caution should be exercised when handling this product at mixing, loading, and disposal sites to prevent contamination of groundwater supplies. Use of closed systems for mixing and transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

This product is for use on Non-Residential Ornamental Turf Lawns (Industrial and Institutional) Athletic/Recreational Fields (Parks, Playgrounds and Sports Fields) Cemeteries, Golf Courses (Fairways, Aprons, Tees\* and Roughs), Industrial Sites, Non-Cropland, Rights-of-Way and Roadsides. \*Excluding Bentgrass Tees.

Do not use on residential turfgrass. Do not collect grass clippings for mulch or compost. Do not send clippings to a compost facility. Applicator must give notice to landowners/property managers to not use grass clippings for mulching or composting. Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production or research purposes.

### USE PRECAUTIONS

Avoid drift of spray mist to vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants. Do not pour spray solutions near desirable plants. Do not use on Centipedegrass, St. Augustinegrass, Dichondragrass, nor on lawns or turf where desirable clovers are present. Avoid fine mists. Use lawn type sprayer with coarse spray as wind drift is less likely. Avoid contact with exposed feeder roots of ornamentals and trees. Maximum control of weeds will be obtained from Spring or early Fall applications when weeds are actively growing. Use the higher rate for hard-to-control weeds. Do not exceed specified dosages for any area; be particularly careful within the dripline of tree and other ornamental species. Do not apply to newly seeded grasses until well established. Do not spray when air temperature exceeds 90°F. Do not use grass clippings from turf treated with this product for composting and/or mulch.

For optimum results: (1) avoid applying during excessively dry or hot periods unless irrigation is used; (2) turf should not be mowed 1 to 2 days before and following application; (3) reseed no sooner than 3 to 4 weeks after application of this product. Adding oil, wetting agent, or other surfactant to the spray may be used to increase effectiveness on weeds but doing so may reduce selectivity to turf resulting in turf damage. Clean and rinse spray equipment using soap or detergent and water, and rinse thoroughly before reuse for other sprays.

The suitable use of this product on non-recommended turf species may be determined by treating a small area at any rate/acre which does not exceed 3 pints/acre. The treated area should be observed for any sign of turf injury for a period of 30 days of normal growing conditions to determine the phytotoxicity and efficacy to the treated area.

### WEEDS CONTROLLED

Alder	Chamomile, Corn	Dock, Curly	Henbit
Artichoke	Chickweed	Dock, Smooth	Hoary cress
Aster	Chickweed, Common	Dogbane	Honeysuckle
Aster, Wild	Chickweed, Mousear	Dogfennel	Horsenettle
Bedstraw	Chicory	Elderberry	Horsetail
Bedstraw, Pineywoods	Cinquefoil	Fiddleneck	Ironweed
Beggartick	Cinquefoil, Rough	Fieldcress, Austrian	Ivy, Poison
Betony, Florida	Clematis, Western	Filaree, Redstem	Jewelweed
Biden	Clover	Flax, False	Jimsonweed
Bindweed	Clover, Annual Yellow Sweet	Flea bane (daisy)	Knapweed, Spotted
Bindweed, Field	Clover, Crimson	Fleabane, Hairy	Knawel
Bindweed, Hedge	Clover, Hop	Fleabane, Rough	Knotweed
Bitter wintercress	Clover, Red	Flixweed	Knotweed, Prostrate
Bittercress, Hairy	Clover, Strawberry	Florida pusley	Kochia
Bitterweed	Clover, Sweet	Four-O'-Clock, Wild	Lambsquarter
Black-eyed Susan	Clover, White	Frenchweed	Lespedeza
Bloodflower, Milkweed	Cockle	Galinsoga	Lettuce, Blue
Boxelder	Cocklebur	Galinsoga, Smallflower	Lettuce, Prickly
Brassbuttons	Cocklebur, Spiny	Garlic, Wild	Lettuce, Wild
Bristly Oxtongue	Coffebean	Geranium, Carolina	Locoweed
Broomweed	Coffeeweed	Geranium, Wild	Lupine
Buckhorn	Coreopsis, Plains	Goathead	Mallow
Buckwheat, Wild	Creeping jenny	Goatsbeard	Mallow, Indiana
Bur ragweed	Croton	Goldenrod	Mallow, Venice
Burdock	Croton, Woolly	Ground-ivy	Marigold, Roundleafed
Burweed	Cudweed	Groundsel	Marigold, Wild
Buttercup	Curly indigo	Gumweed	Marshelder
Buttercup, Bulbous	Daisy, English	Hawkweed	Matchweed
Carpeweed	Daisy, Oxeye	Hawkweed, Orange	Medic, Black
Carrot, Wild	Dandelion	Healall	Mexicanweed
Catchweed Bedstraw	Dandelion, Fall	Heartleaf drymary	Morningglory
Catnip	Dandelion, False	Heathaster	Morningglory, Woolly
Catsear	Dock	Hemlock, Poison	Mugwort
Catsear, Spotted	Dock, Broadleaf	Hemp	Mullein, Common

**WEEDS CONTROLLED (continued)**

Mustard	Pigweed, Redroot	Sneezeweed	Thistle, Russian
Mustard, Black	Pigweed, Russian	Sorrel, Red	Thistle, Scotch
Mustard, Garlic	Pigweed, Smooth	Sorrel, Sheep	Toadflax
Mustard, Hedge	Pigweed, Tumble	Sowthistle	Trailing Crownvetch
Mustard, Tansy	Scarlet Pimpernel	Sowthistle, Common	Trefoil, Tick
Mustard, Tumble	Plantain	Spanishneedle	Tumbleweed
Mustard, White	Plantain, Blackseed	Spatterdock	Velvet leaf
Mustard, Wild	Plantain, Bracted	Speedwell	Veronica
Nettle	Plantain, Broadleaf	Spiny	Vervain
Nettle, Bull	Plantain, Buckhorn	Spiny Amaranth	Vervain, Blue
Nettle, Burning	Plantain, Hoary	Spurge	Vervain, Hoary
Nettle, Dead	Plantain, Narrowleaf	Spurge, Prostrate	Vervain, Prostrate
Nettle, Stinging	Plantain, Slender	Spurge, Spotted	Vervain, Tall
Nettle, Tall	Plantain, Woolly	Spurweed	Vetch
Oak, Poison	Pokeweed	St. Johnswort	Vetch, Bird
Onion, Wild	Poorjoe	Stinkweed	Vetch, Milk
Oxalis	Povertyweed	Stitchwort	Vetch, Narrowleaf
Pansy, Field	Prairie	Strawberry, Wild	Vetch, Wild
Plantain, Blackseed	Prickly Sida	Sumac	Virginia Buttonweed
Parsley-piert	Primrose	Sunflower	Virginia Creeper
Parsnip	Puncture vine	Sunflower, False	Wavyleaf Bullthistle
Parsnip, Wild	Purslane	Sweet Potato, Wild	Willow
Pearlwort	Radish, Wild	Tansy Ragwort	Witchweed
Pennycress	Ragweed	Tanweed	Woodsorrel
Pennywort	Rape, Wild	Tarweed	Wormseed
Peppergrass	Rose, Southern Wild	Thistle	Yarrow
Pepperweed	Rush	Thistle, Blessed	Yellow rocket
Pepperweed, Virginia	Salsify, Western	Thistle, Bull	Yellowflower Pepperweed
Pigweed	Shepherdspurse	Thistle, Canada	and other broadleaf weeds
Pigweed, Prostrate	Smartweed	Thistle, Musk	

Some of these species may require repeat spot applications and/or use of higher rate recommended on this product label even under ideal conditions for application.

**ORNAMENTAL LAWNS AND TURF**

Apply this product at the rate of 2 to 3 pints in 20 to 240 gallons of water per acre (0.73 to 1.10 fluid ounces in 0.5 to 5.5 gallons of water per 1,000 square feet) to control weeds growing in turf planted to Bluegrass, Fescue, Ryegrass, Bentgrass (excluding golf course greens and tees), Bahiagrass, Bermudagrass and Zoysiagrass.

Controlled Droplet Applicators - (CDA), Atomizers, and Spinning Disk Applicators: Use this product at the rate of 2 to 3 pints per acre (0.73 to 1.10 fluid ounces per 1,000 square feet) in sufficient water to assure coverage (1 to 4 gallons of water per acre is normal for this type of equipment).

Lower Volume Equipment: Use as little as 5 gallons of water per acre. Use only application equipment that is capable of spreading a uniform droplet, wetting each weed surface.

**NOTE:** For all grasses (1) Do not overlap spray patterns; (2) Use reduced rates if grass is stressed from heat, drought, etc.; and (3) Follow CDA equipment spray instructions.

**COMPATIBILITY**

This product can be mixed with some liquid fertilizers or liquid iron materials. Because liquid fertilizers and liquid iron differ in pH, free ammonia content, density, salt concentration and percentage of water, a compatibility test (given below) is recommended prior to mixing in the application equipment. All regulations, either State or Federal, relating to the application of liquid fertilizers or liquid iron and this product must be strictly followed. The following compatibility test should always be performed prior to full-scale mixing.

1. Pour 18 fluid ounces of water into a quart jar.
2. Add 1 fluid ounce of either the liquid fertilizer or liquid iron to be used.
3. Add 1 fluid ounce of this product.

4. Close jar and shake well.
5. Watch the mixture for several seconds after shaking and check again after 30 minutes.
6. If the mixture does not show signs of separating, the combination may be used. If the mixture foams excessively, gels, separates or gets very thick, do not combine for field application.
7. Compatibility may be improved by the use of a compatibility agent. Follow the previously outlined test procedures and add 1/6 fluid ounce of the compatibility agent between steps (the compatibility agent must be added to the fertilizer or iron before adding this product).
8. If the mixture does not separate, gel, foam or get very thick, it may be used for field application. Mix only the amount to be sprayed. Do not allow to stand overnight.

## STORAGE AND DISPOSAL

**STORAGE:** Always use original container to store pesticides in a secured warehouse or storage building. Store at temperatures above 32°F. If allowed to freeze, remix before using. This does not alter this product. Containers should be opened in well ventilated areas. Keep container tightly sealed when not in use. Do not stack cardboard cases more than two pallets high. Do not store near open containers of fertilizer, seed or other pesticides. Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. If container is damaged or if pesticide has leaked, contain all spillage. Absorb and clean up all spilled material with granules or sand. Place in a closed labeled container for proper disposal. Improper disposal of excess pesticide, spray mixtures, or rinsate is a violation of Federal law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent), adding rinsate to spray tank. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

## WARRANTY

Seller warrants that this herbicide conforms to the chemical description on its label. When used in accordance with label directions under normal conditions, this herbicide is reasonably fit for its intended purposes. Since timing, method of application, weather, plant and soil conditions, mixtures with other chemicals and factors affecting the use of this product are beyond our control, no warranty is given concerning the use of this product contrary to label directions or under conditions which are abnormal or not reasonably foreseeable. The user assumes all risks of any such use, including the use of this product on turf species not recommended on this label.

(RV072804)


<sup>1</sup>The State Sale and Use Prohibitions of this product must be part of printed label text for any product which might possibly enter the channels of trade in the states of New York, California, Oregon and/or Washington. The label prohibitions are optional for all other states.

Millennium Ultra is a Trademark of Nufarm Americas Inc.

**NOTES**

**NOTES**





**PRIMERA MILLENNIUM ULTRA™ 2 SELECTIVE HERBICIDE**

**FOR SELECTIVE BROADLEAF WEED CONTROL IN ORNAMENTAL LAWNS AND TURF GRASSES**

**ACTIVE INGREDIENTS:**

Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid* .....	37.32%
Monoethanolamine Salt of 3,6-Dichloro-2-Pyridinecarboxylic Acid** .....	2.54%
Dimethylamine Salt of Dicamba (3,6-Dichloro-o-Anisic Acid)** .....	4.65%

**OTHER INGREDIENTS:**

<b>TOTAL</b> .....	55.49%
	100.00%

Isomer Specific Method, Equivalent to:

* 2,4-Dichlorophenoxyacetic Acid .....	31.00%, 3,000 lbs./gal.
--	-------------------------

** 3,6-Dichloro-2-Pyridinecarboxylic Acid .....	1.93%, 0.183 lbs./gal.
---	------------------------

*** 3,6-Dichloro-o-Anisic Acid .....	3.86%, 0.375 lbs./gal.
--------------------------------------	------------------------

Contains 2,4-D, Clopyralid and Dicamba

**FOR USE BY PROFESSIONAL TURF MAINTENANCE PERSONNEL, LANDSCAPING OR COMMERCIAL APPLICATORS ONLY. NOT FOR SALE TO OR USE BY HOMEOWNERS.**

**KEEP OUT OF REACH OF CHILDREN  
DANGER - PELIGRO**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.  
(If you do not understand the label, find someone to explain it to you in detail.)

**SEE ATTACHED BOOKLET FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS**

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300. For Medical Emergencies Only, Call 877-325-1840.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
DANGER - PELIGRO**

Corrosive. This concentrate causes irreversible eye damage. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Wear face shield, goggles, or safety glasses and long pants, long-sleeved shirt, socks, shoes, and rubber gloves when mixing, loading, or applying this product. It is recommended that safety glasses include front, brow, and temple protection. In addition to the clothing and eye protection listed above, commercial mixer/loaders must wear chemical resistant in place of rubber gloves except when the product is to be applied to a golf course. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower. The maximum number of broadcast applications per treatment site is 2 per year. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried.

**ENVIRONMENTAL HAZARDS**

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. When cleaning equipment, do not pour washwater on the ground; spray or drain over a large area away from wells and other water sources. Do not contaminate water when disposing of equipment washwaters. Do not apply this product through any type of irrigation system. Do not contaminate water used for irrigation or domestic purposes.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

**STORAGE AND DISPOSAL**

**STORAGE:** Always use original container to store pesticides in a secured warehouse or storage building. Store at temperatures above 32°F. If allowed to freeze, remix before using. This does not alter this product. Containers should be opened in well ventilated areas. Keep container tightly sealed when not in use. Do not stack cardboard cases more than two pallets high. Do not store near open containers of fertilizer, seed or other pesticides. Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. If container is damaged or if pesticide has leaked, contain all spillage. Absorb and clean up all spilled material with granules or sand. Place in a closed labeled container for proper disposal. Improper disposal of excess pesticide, spray mixtures, or rinsate is a violation of Federal law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent), adding rinsate to spray tank. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

FIRST AID	
<b>IF IN EYES</b>	<ul style="list-style-type: none"> <li>Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
<b>IF SWALLOWED</b>	<ul style="list-style-type: none"> <li>Call poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
<b>IF ON SKIN OR CLOTHING</b>	<ul style="list-style-type: none"> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15 to 20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
<b>HOT LINE NUMBER</b>	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information.	

**Manufactured By  
Nufarm Americas Inc.  
Burr Ridge, IL 60527-0866**

**EPA REG. NO. 228-332  
EPA EST. NO. 228-IL-1**

**PULL HERE TO OPEN  
PRESS TO RESEAL**

**331122**

**RV012705**

**3222-PR1**

